CES Working Paper Series

BAYESIAN LEARNING IN REPEATED
NORMAL FORM GAMES

Jürgen Eichberger

Working Paper No. 54

*Center for Economic Studies
University of Munich
Schackstr. 4
80539 Munich
Germany
Telephone & Telefax:
++49-89-2180-3112*

*CES Working Paper No. 54
December 1993*

BAYESIAN LEARNING IN REPEATED NORMAL FORM GAMES

Abstract

Eichberger, Haller, Milne (1993) analysed Naive Bayesian learning dynamics in 2x2 matrix games. This paper extends this analysis to general two-player games. A characterisation of these dynamics in terms of the covariance matrix makes it possible to give sufficient conditions for converging pure strategy choices to form a Nash equilibrium. In contrast, stronger conditions are required to guarantee that converging beliefs will be Nash equilibrium beliefs. Furthermore, for prior beliefs that can be characterised by Dirichlet (generalised beta) distributions, expected mixed strategies have fictitious play dynamics.

*Jürgen Eichberger
Department of Economics
University of Melbourne
PARKVILLE
Victoria 3052
Australia*

1. Introduction

For several decades, game theory was based exclusively on equilibrium analysis. *Equilibrium* is defined as a situation where

players are maximising their objective functions, given their beliefs about the opponents' behaviour, and these beliefs are consistent with actual behaviour.

For many games, such a characterisation of a situation is sufficient to determine a unique pattern of behaviour which is often taken as the predicted outcome of the game². In general, however, there are many belief and behaviour patterns which constitute an equilibrium. Moreover, except for the class of zero-sum games, these equilibrium situations differ in payoff allocations.

Attempts to reduce the number of equilibria by imposing additional constraints on the outcome, such as sequential rationality or forward induction principles, can only eliminate equilibria which were not *strict* in the sense that each player strictly prefers the equilibrium strategy to any other available strategy given the behaviour of the other players. There are however many games with multiple strict equilibria where the number of equilibria cannot be reduced based on such refinements.

If the assumption of equilibrium behaviour is insufficient to predict a unique outcome of the game, one has to resort to *non-equilibrium* behaviour or beliefs to select among those equilibria. If one does not want to abandon the optimising part of the equilibrium definition, consistency of beliefs remains as the only alternative. Starting from inconsistent beliefs one may nevertheless hope to achieve consistency of beliefs in the long run if the situation is repetitive enough.

¹ I would like to thank the Center of Economic Studies (CES) at the University of Munich for providing me with the environment that made this research possible.

² Compare Kreps (1990) for a criticism of equilibrium analysis as the predicted outcome of a game.

The concept of naive Bayesian learning formalises an adjustment process based on the following two principles:

- (i) players behave optimally given their beliefs about the opponents, and
- (ii) use Bayesian updating rules to learn the correct distribution of the opponents' pure strategy play.

This learning behaviour is not rational equilibrium learning³ because Bayesian updating is strictly a correct learning rule only if the opponents follow an unchanging distribution of pure strategy play. Believing that the probability distribution over pure strategies stays constant is however incompatible with the assumption that all players choose best responses to beliefs that change due to the learning process. Nevertheless, there are well-known cases where Bayesian learning converges to equilibrium beliefs and equilibrium behaviour. In those cases, one can trace back the selection of a particular equilibrium to initial beliefs of the players.

Eichberger, Haller, Milne (1993) studied naive Bayesian learning dynamics in 2x2 matrix games. They found that, for beta prior distributions, Bayesian learning results in fictitious play dynamics which converge to Nash equilibrium beliefs in 2x2 matrix games. They show further how one can select equilibria based on players' prior beliefs. This paper extends the analysis of Eichberger, Haller, Milne (1993) to general two-player games with arbitrary prior distributions. Representing these dynamics by a covariance matrix makes it possible to show that converging pure strategy choices lead to a Nash equilibrium. In contrast, converging beliefs will not necessarily be Nash equilibrium beliefs. Furthermore, for prior beliefs that can be characterised by Dirichlet (generalised beta) distributions, expected mixed strategies have fictitious play dynamics. A detailed study of learning dynamics which have the properties of fictitious play can be found in Fudenberg and Kreps (1993, 1992).

There is a substantial literature on learning dynamics and on evolutionary dynamics. In particular, fictitious play has been studied extensively in regard to its convergence properties. It is well-known that fictitious play dynamics converge globally in zero-sum games (Brown 1951, Robinson 1951), in 2x2 matrix games (Miyazawa 1963, Rosenmüller 1970, Eichberger, Haller, Milne

³ Rational equilibrium learning where the learning process itself represents equilibrium behaviour has been studied by Kalai and Lehrer (1993).

1993, Metrick and Polak 1993), in supermodular games (Milgrom and Roberts 1990, Brock and Samuelson 1992), but may not converge in two-player games where players have more than two strategies (Shapley 1964, Moderer and Shapley 1992, Moderer and Sela 1993). Problems with the interpretation of fictitious play as a reasonable learning model have been discussed in Fudenberg and Kreps (1992) and in Jordan (1993). Jordan (1991) analyses Bayesian learning dynamics in games of incomplete information and Canning (1990) and Young (1993a, 1993b) study learning with some random disturbance as a Markov process. Evolutionary dynamics in economics which are occasionally similar to learning dynamics (Bomze and Eichberger (1992)) have been an important stimulus for the analysis of learning dynamics (Friedman 1991, Nachbar 1992, Joosten 1993, Ritzberger and Weibull 1993).

The paper is organised as follows. Section 2 introduces into the necessary notation and presents an example illustrating circumstances where naive Bayesian learning may be considered an appropriate learning model. Section 3 provides a characterisation of naive Bayesian learning in terms of the covariance matrix of the belief distribution. This characterisation can be used to show that Bayesian learning is monotonic in the observed strategy. A further result in this section is the equivalence of Bayesian learning from Dirichlet prior beliefs with fictitious play. Section 4 will demonstrate by example that convergence of actual play does not in general imply that the dynamic equilibrium is a Nash equilibrium. Sufficient conditions for such a result however can be provided. Similarly, beliefs of players do not converge to Nash equilibrium beliefs in general. The paper concludes with a discussion of the implications of the results.

2. The basic model

Consider two large groups of identical players, $i = 1, 2$, with finite pure strategy sets, $E_1 = \{e^1, \dots, e^m\} \subset \mathbb{R}^m$ and $E_2 = \{e^1, \dots, e^n\} \subset \mathbb{R}^n$. Pure strategies are identified with the unit vectors of the m -dimensional Euclidian space for player 1 and the n -dimensional space for player 2. The associated mixed strategies are

$$S_1 = \{s \in \mathbb{R}_+^m \mid \sum_{k=1}^m s(k) = 1\} \quad \text{and} \quad S_2 = \{s \in \mathbb{R}_+^n \mid \sum_{k=1}^n s(k) = 1\}.$$

Note that components of a mixed strategy vector are denoted by $s(k)$ because sub- and superscripts are extensively used to indicate players and different mixed strategies. In particular, pure strategies are considered as elements of the mixed strategy sets, $E_i \subset S_i$, where $e^k(1) = 0$ for $k \neq 1$ and $e^k(1) = 1$ for $k = 1$ holds.

Payoffs of players are given by the payoff matrix $A_1 = [a_1(i, j)]$ for group 1 and $A_2 = [a_2(i, j)]$ for group 2. The expected payoffs from a mixed strategy combination (s_1, s_2) are

$$P_1(s_1, s_2) = s_1 \cdot A_1 \cdot s_2 \quad \text{and} \quad P_2(s_1, s_2) = s_1 \cdot A_2 \cdot s_2$$

respectively. If a player of group 1 chooses the pure strategy e^k and a player of group 2 the pure strategy e^1 , then a payoff $P_1(e^k, e^1) = a_1(k, 1)$ is obtained. Similarly, one has $P_2(e^k, e^1) = a_2(k, 1)$ for players of group 2.

The game is played repeatedly. In each period, a player of one group is randomly paired with a player of the other group to play the game. At the end of each round, the pure strategies actually chosen become common knowledge. Each player believes that players of the other group choose only pure Nash equilibrium strategies. If there is more than a single pure Nash equilibrium, then it may be that some players play the strategy appropriate for one Nash equilibrium while others may try other Nash equilibrium strategies. Thus, the players are uncertain as to the proportion of players in the other group coordinating on each of the multiple Nash equilibria. The following example illustrates such a scenario.

Example 2.1:

Consider two groups of workers. In each period, a worker is randomly selected from each group to carry out a task. The reward of the workers depends on the minimum input a_1 chosen by either of the workers:

$$x = 2 \cdot \min\{a_1, a_2\}.$$

The opportunity cost for providing the input is $c(a_i) = a_i$. The payoff from a particular input combination (a_1, a_2) is therefore

$$P_i(a_1, a_2) = 2 \cdot \min\{a_1, a_2\} - a_i.$$

To simplify the exposition, assume that only four discrete levels of input are feasible for each player, $E_i = \{1, 2, 3, 4\}$, then one can represent the game between the two randomly chosen players by the following matrix.

		Player 2			
		1	2	3	4
Player 1	1	1, 1	1, 0	1, -1	1, -2
	2	0, 1	2, 2	2, 1	2, 0
	3	-1, 1	1, 2	3, 3	3, 2
	4	-2, 1	0, 1	2, 3	4, 4

It is easy to see that it is a Nash equilibrium to choose the same input level as the opponent. Thus, there are four Nash equilibria in pure strategies which can be ranked in the Pareto sense. Equilibria with higher effort levels yield higher payoffs for both players.

Assume that a player, when selected to play the game, knows that the opponent is rational and therefore will choose a Nash equilibrium strategy. Clearly, in this game this does not restrict the possible choices at all. If the player is uncertain about the particular equilibrium strategy that the opponent will play, the probability of facing an opponent who plays a particular strategy must be assessed. Since there is no a priori reason to assume a particular probability distribution for the four possible choices, beliefs will assign probabilities to the different probability distributions and players will choose best responses given their beliefs. ■

Players must choose equilibrium strategies that are best responses to the unknown distribution of the opponents' equilibrium play. A player who believes that the opponents' group has not completely coordinated on a particular pure strategy Nash equilibrium acts as if the opponent would choose a mixed strategy that is concentrated on the set of pure Nash equilibrium strategies. Observing the actual play of players from the other group allows players to draw inferences about the mixed strategy which

governs the observed behaviour. Since players are uncertain about the proportion of players coordinating on the various Nash equilibria, beliefs about the opponents' mixed strategy are represented by a probability distribution on the space of mixed strategies, S_1 and S_2 respectively.

Given beliefs about the opponents' play, each player chooses a best response. The expected payoffs are linear in the mixed strategy of the opponent implying that only the expected mixed strategy matters for the optimal choice. In general, the optimal choice will be a unique pure strategy. To stay in line with most of the literature on fictitious play and Bayesian learning, formal analysis will be conducted in terms of learning the mixed strategy of the opponent on a full game and not just on the set of pure Nash equilibrium strategies. An interpretation of mixed strategies as the population distribution of opponents with different equilibrium strategies provides however a learning scenario which does not rely on mutually inconsistent beliefs.

Denote by Q_i^t the probability distribution on S_j which represents the beliefs of player i about the mixed strategy employed by her opponent j in period t . The expected mixed strategy $\sigma_j^t := \int_{S_j} s_j Q_i^t(ds_j)$ induces a best response of player i from the best-response correspondence

$$r_i(\sigma_j^t) := \operatorname{argmax} \{ P_i(s_i, \sigma_j^t) \mid s_i \in S_i \} .$$

The pure strategy which is then played according to the optimal mixed strategy is commonly observed and becomes the information of all players for updating their beliefs. The following diagram illustrates this mechanism.

In the context described above, observations of the frequency of strategy choice may reasonably be used to reassess beliefs. The following sections study this updating process.

3. Naive Bayesian Learning

Each player knows that her opponent chooses a pure strategy according to some unknown mixed strategy. The observed pure strategy of the opponent is a signal which serves to update the beliefs about the mixed strategy which the opponent uses. Suppose that player i learns that player j chose the pure strategy e^h . This allows player i to update the belief Q_i^t according to the Bayesian formula:

$$Q_i^{t+1}(M|e^h) = \frac{\int_M s_j(h) Q_i^t(ds_j)}{\int_{S_j} s_j(h) Q_i^t(ds_j)} \quad (*)$$

for any measurable set of mixed strategies M in S_j . This updating rule treats $\int_M s_j(h) Q_i^t(ds_j)$ as the joint probability of the pure strategy e^h with the mixed strategies in M . Thus, information that e^h has occurred can be used to derive the conditional distribution over mixed strategies given the observed pure strategy e^h . The following results help to characterise this learning rule starting from some given prior distribution Q_i^0 .

Players are expected utility maximisers and their decision depends on the expected mixed strategy. The first result provides a useful characterisation of the adjustment process for the expected mixed strategy in response to new information about the actual play of the opponent. Denote by

$$\sigma_j^t(k|e^h) := \int_{S_j} s_j(k) Q_i^t(ds_j|e^h)$$

the probability that player j chooses the pure strategy e^k in period t as assessed by player i according to the expected mixed strategy $\sigma_j^t(e^h)$, given that the pure strategy e^h has been observed in period $t-1$. Similarly, let

$$\text{cov}_j(k, l|Q_i^t) := \int_{S_j} [s_j(k) - \sigma_j^t(k)] \cdot [s_j(l) - \sigma_j^t(l)] Q_i^t(ds_j)$$

be the covariance between the probabilities of the pure strategies e^k and e^l according to the probability distribution Q_i^t over S_j .

Proposition 3.1:

Given beliefs Q_i^t and the Bayesian updating rule (*), the expected mixed strategy for the following period depends on the first two moments of Q_i^t according to the formula

$$\sigma_j^{t+1}(k|e^h) = \sigma_j^t(k) \cdot [1 + \text{cov}_j(k, h|Q_i^t) / (\sigma_j^t(k) \cdot \sigma_j^t(h))] .$$

Proof:

Applying updating rule (*) to the definition of the expected mixed strategy yields

$$\begin{aligned} \sigma_j^{t+1}(k|e^h) &:= \int_{S_j} s_j(k) Q_i^{t+1}(ds_j|e^h) \\ &= \sigma_j^t(h)^{-1} \cdot \int_{S_j} s_j(k) \cdot s_j(h) Q_i^t(ds_j) \\ &= \sigma_j^t(k) + \text{cov}_j(k, h|Q_i^t) / \sigma_j^t(h) . \\ &= \sigma_j^t(k) \cdot [1 + \text{cov}_j(k, h|Q_i^t) / (\sigma_j^t(k) \cdot \sigma_j^t(h))] . \quad \blacksquare \end{aligned}$$

As an immediate corollary of this proposition, one can deduce that a player, observing the opponent choose a particular pure strategy, will adjust beliefs such that the expected mixed strategy puts a higher probability on this observed pure strategy:

$$\begin{aligned} \sigma_j^{t+1}(h|e^h) &:= \int_{S_j} s_j(h) Q_i^{t+1}(ds_j|e^h) \\ &= \sigma_j^t(h) \cdot [1 + \text{cov}_j(h, h|Q_i^t) / (\sigma_j^t(h))^2] \geq \sigma_j^t(h) . \end{aligned}$$

Notice that $\text{cov}_j(h, h|Q_i^t)$ is the variance of the probability of strategy h and, therefore, non-negative. The following lemma gives a sufficient condition for a strictly increasing likelihood of the observed strategy.

Lemma 3.2:

$$\sigma_j^{t+1}(h|e^h) > \sigma_j^t(h)$$

if

$$\begin{aligned} Q_i^t(\{s_j \in S_j \mid s_j(h) = 0\}) &< 1 , \text{ and} \\ Q_i^t(\{s_j \in S_j \mid s_j(h) = \sigma_j^t(h)\}) &< 1 . \end{aligned}$$

Proof:

$Q_i^t(\{s_j \in S_j \mid s_j(h) = 0\}) < 1$ implies $Q_i^t(\{s_j \in S_j \mid s_j(h) \neq 0\}) > 0$ and, therefore, $\sigma_j^t(h) = \int_{S_j} s_j(h) Q_i^t(ds_j) > 0$.

$Q_i^t(\{s_j \in S_j \mid s_j(h) = \sigma_j^t(h)\}) < 1$ implies $Q_i^t(\{s_j \in S_j \mid s_j(h) \neq \sigma_j^t(h)\}) > 0$ and, therefore, $\text{cov}(h, h|Q_i^t) = \int_{S_j} [s_j(h) - \sigma_j^t(h)]^2 Q_i^t(ds_j) > 0$.

The claim of the lemma follows now from proposition 3.1. ■

According to lemma 3.2, the updated expected mixed strategy is strictly increasing in the observed pure strategy provided beliefs are not concentrated on a hyperplane corresponding to a constant expected probability of the observed pure strategy. To avoid that beliefs get stuck at some particular expected mixed strategy prior beliefs, conditions on prior beliefs are sought that rule out that beliefs become concentrated on a set of mixed strategies with the same probability for some pure strategies. Furthermore, such properties of the prior beliefs must remain invariant as learning proceeds.

The following proposition gives a sufficient conditions for an expected mixed strategy to be strictly increasing in the observed pure strategy. Let (DQ_i^t, CQ_i^t) be the Lebesgue decomposition of Q_i^t with respect to the Lebesgue measure on S_j . By the Radon-Nikodym theorem⁴ such a decomposition exists. CQ_i^t is the part of the measure Q_i^t that is absolutely continuous with respect to the Lebesgue measure on S_j . If Q_i^t itself is absolutely continuous with respect to the Lebesgue measure on S_j , then $CQ_i^t = Q_i^t$.

Lemma 3.3:

If $CQ_i^t(S_j) > 0$, then $\sigma_j^{t+1}(h|e^h) > \sigma_j^t(h)$.

Proof:

It is straightforward to check that $CQ_i^t(S_j) > 0$ is sufficient to guarantee the conditions of lemma 3.2. ■

The next lemma shows that Bayesian learning dynamics leave properties of the initial beliefs like an absolutely continuous part with positive measure and full support invariant. In particular, Bayesian learning will not lead to a

⁴ Compare, e.g., Rudin (1987), p. 121.

concentration of beliefs on a discrete set of mixed strategies in finite time if initial beliefs have a part which is absolutely continuous with respect to the Lebesgues measure.

Lemma 3.4:

For $CQ_i^0(S_j) > 0$, $CQ_i^t(S_j) > 0$ for all $t \geq 1$.

Proof:

The proof is by induction. For $t = 1$, $Q_i^0(\{s_j \in S_j \mid s_j(h) > 0\})$

$$= CQ_i^0(\{s_j \in S_j \mid s_j(h) > 0\}) + DQ_i^0(\{s_j \in S_j \mid s_j(h) > 0\}) > 0$$

and, therefore, $\sigma_j^0(h) := \int_{S_j} s_j(h) Q_i^0(ds_j) > 0$. Hence, for any pure strategy h ,

$$Q_i^1(M|e^h) = \frac{\int_M s_j(h) Q_i^0(ds_j)}{\int_{S_j} s_j(h) Q_i^0(ds_j)}$$

is well-defined. Since $CQ_i^0(\{s_j \in S_j \mid s_j(h) > 0\}) > 0$,

$$CQ_i^1(s_j|e^h) = \sigma_j^0(h)^{-1} \cdot \int_{S_j} s_j(h) CQ_i^0(ds_j) > 0$$

follows. By the same argument,

$$CQ_i^{t+1}(s_j|e^h) = \sigma_j^t(h)^{-1} \cdot \int_{S_j} s_j(h) CQ_i^t(ds_j) > 0$$

if $CQ_i^t(\{s_j \in S_j \mid s_j(h) > 0\}) > 0$ holds. ■

For prior beliefs with a Lebesgue decomposition into a part that is absolutely continuous with respect to the Lebesgue measure on S_j , lemma 3.2, 3.3 and 3.4 imply that the expected probability of an observed action will strictly increase the expected likelihood of this strategy. In addition, for such prior distributions, Bayesian learning will not change the support of the beliefs. The following proposition states this result.

Proposition 3.5:

If $CQ_i^0(E) > 0$ for any open set $E \subset S_j$, then

$$(i) \quad \sigma_j^{t+1}(h|e^h) > \sigma_j^t(h) \quad \text{for all } t \geq 1.$$

$$(ii) \quad \text{supp } Q_i^t = S_j \quad \text{for all } t \geq 0.$$

Proof:

(i) The premise implies that $CQ_i^0(S_j) > 0$ holds. The first claim follows therefore from lemma 3.2, 3.3, and 3.4.

(ii) It will be proved that " $CQ_i^t(E) > 0$ for any open set $E \subset S_j$ " implies " $CQ_i^{t+1}(E) > 0$ for any open set $E \subset S_j$ ".

For $t = 1$, $Q_i^0(\{s_j \in S_j \mid s_j(h) > 0\}) > 0$ implies that $Q_i^1(M|e^h)$ is well defined. For any observed pure strategy e^h ,

$$CQ_i^1(E|e^h) = \sigma_j^0(h)^{-1} \cdot \int_E s_j(h) CQ_i^0(ds_j) > 0$$

if and only if $CQ_i^0(\{s_j \in S_j \mid s_j(h) > 0\} \cap E) > 0$ holds. The latter follows however from the premise of the proposition since $\{s_j \in S_j \mid s_j(h) > 0\} \cap E$ is an open set. For arbitrary t , the same argument shows that " $CQ_i^{t+1}(E) > 0$ for any open set $E \subset S_j$ " holds.

It remains to show that $\text{supp } Q_i^t = S_j$ if " $CQ_i^t(E) > 0$ for any open set $E \subset S_j$ " holds. Suppose there is a closed set $A \subset S_j$ such that $Q_i^t(A) = 1$. Then $Q_i^t(S_j \setminus A) = CQ_i^t(S_j \setminus A) + DQ_i^t(S_j \setminus A) = 0$ implies $CQ_i^t(S_j \setminus A) = 0$. But $(S_j \setminus A)$ is an open set contradicting the premise of the proposition. ■

The next example shows that this constant support property fails, if prior beliefs are concentrated on sets of mixed strategies that have Lebesgue measure zero.

Example 3.1:

Suppose that the prior belief distribution Q_i^0 is concentrated on a finite set of strictly mixed strategies and the pure strategy e^k ,

$$\text{supp } Q_i^0 = \{e^k, s_j^1, \dots, s_j^r\}.$$

Suppose that the pure strategy e^h , $h \neq k$, has been observed, then

$$Q_i^1(\{e^k\}|e^h) = (e^k(h) \cdot Q_i^0(\{e^k\}) \cdot [\sum_{l=1}^r s_j^l(h) \cdot Q_i^0(\{e^h\}) + e^k(h) \cdot Q_i^0(\{e^k\})]^{-1}.$$

The denominator must be positive, because the s_j^l are strictly mixed. From $e^k(h) = 0$, $Q_i^1(\{e^k\}|e^h) = 0$ follows. Thus, $\text{supp } Q_i^1 = \{s_j^1, \dots, s_j^r\} \neq \text{supp } Q_i^0$. ■

This section concludes with a result that relates Bayesian learning to fictitious play. The dynamics of fictitious play have been studied extensively⁵ and provide an important and particularly well-behaved example of Bayesian learning.

⁵ Fudenberg and Kreps (1993) are among the most recent contributions to this research.

Definition: fictitious play dynamics

The expected mixed strategies follow fictitious play dynamics if there is

a vector of weights $a \in \mathbb{R}_{++}^n$, $\sum_{k=1}^n a(k) := A$ such that

$$\sigma_j^{t+1}(k|e^h) = \frac{A+t-1}{A+t} \cdot \sigma_j^t(k) + \frac{1}{A+t} \cdot e^k(h) .$$

Proposition 3.6:

If Q_i^0 is a Dirichlet distribution,

$$Q_i^0(M) = \frac{\int_M \left[\prod_{h=1}^{n-1} s_j(h)^{\alpha(h)-1} \cdot (1 - \sum_{h=1}^{n-1} s_j(h))^{\alpha(n)-1} \right] ds_1 \dots ds_n}{\int_{S_j} \left[\prod_{h=1}^{n-1} s_j(h)^{\alpha(h)-1} \cdot (1 - \sum_{h=1}^{n-1} s_j(h))^{\alpha(n)-1} \right] ds_1 \dots ds_n} ,$$

then the expected belief dynamics are fictitious play dynamics.

Proof:

For any vector $\alpha \equiv (\alpha(1), \dots, \alpha(n)) \in \mathbb{R}_+^n$, denote by $B(\alpha)$ the following

integral:

$$B(\alpha) := \int_{S_j} \left[\prod_{h=1}^{n-1} s_j(h)^{\alpha(h)-1} \cdot (1 - \sum_{h=1}^{n-1} s_j(h))^{\alpha(n)-1} \right] ds_1 \dots ds_n .$$

It is well-known that

$$B(\alpha(1), \dots, \alpha(n)) = \frac{\Gamma(\alpha(1)) \cdot \dots \cdot \Gamma(\alpha(n))}{\Gamma(A)}$$

holds where $\Gamma(\cdot)$ denotes the gamma function. For the gamma function in turn it is known that, for any real number α , $\Gamma(\alpha+1) = \alpha \cdot \Gamma(\alpha)$ holds. The expected value of pure strategy k according to the prior beta distribution is therefore

$$\begin{aligned} \sigma_j^0(k) &= B(\alpha)^{-1} \cdot \int_{S_j} s_j(k) \cdot \left[\prod_{h=1}^{n-1} s_j(h)^{\alpha(h)-1} \cdot (1 - \sum_{h=1}^{n-1} s_j(h))^{\alpha(n)-1} \right] ds_1 \dots ds_n \\ &= \frac{B(\alpha(1), \dots, \alpha(k)+1, \dots, \alpha(n))}{B(\alpha(1), \dots, \alpha(k), \dots, \alpha(n))} \\ &= \left[\frac{\Gamma(\alpha(1)) \cdot \dots \cdot \Gamma(\alpha(n))}{\Gamma(A)} \right]^{-1} \cdot \left[\frac{\Gamma(\alpha(1)) \cdot \dots \cdot \Gamma(\alpha(k)+1) \cdot \dots \cdot \Gamma(\alpha(n))}{\Gamma(A+1)} \right] \\ &= \left[\frac{\Gamma(\alpha(1)) \cdot \dots \cdot \Gamma(\alpha(n))}{\Gamma(A)} \right]^{-1} \cdot \left[\frac{\alpha(k)}{A} \cdot \frac{\Gamma(\alpha(1)) \cdot \dots \cdot \Gamma(\alpha(n))}{\Gamma(A)} \right] \\ &= \frac{\alpha(k)}{A} . \end{aligned}$$

Let $h(t)$ be the strategy actually played by player j and denote by

$$\alpha_t := \alpha_{t-1} + e^{h(t)}.$$

By definition of the updated expectation of strategy k , given an observed strategy h , one has

$$\begin{aligned} \sigma_j^{t+1}(k|e^h) &:= \int_{S_j} s_j(k) Q_i^{t+1}(ds_j|e^h) \\ &= \sigma_j^t(h)^{-1} \cdot \int_{S_j} s_j(k) \cdot s_j(h) Q_i^t(ds_j) \\ &= \frac{B(\alpha_t(1), \dots, \alpha_t(h), \dots, \alpha_t(k)+1, \dots, \alpha_t(n))}{B(\alpha_t(1), \dots, \alpha_t(h), \dots, \alpha_t(n))} = \frac{\alpha_t(k)}{A_t}, \end{aligned}$$

which can be transformed to yield

$$\begin{aligned} \sigma_j^{t+1}(k|e^h) &= \frac{\alpha_t(k)}{A_t} = \frac{\alpha_{t-1}(k) + e^{h(k)}}{A + t} = \frac{A + t - 1}{A + t} \cdot \frac{\alpha_{t-1}(k)}{A + t - 1} + \frac{e^{h(k)}}{A + t} \\ &= \frac{A + t - 1}{A + t} \cdot \sigma_j^t(k) + \frac{e^{h(k)}}{A + t}. \end{aligned}$$

■

The dynamics of fictitious play have been extensively studied, most recently by Fudenberg and Kreps (1992) and Eichberger, Haller and Milne (1993).

Proposition 3.6 shows that naive Bayesian learning induces adjustments of the expected mixed strategies according to the fictitious play dynamics.

This result has been noted by Fudenberg and Kreps (1993).

Prior beliefs of the Dirichlet type provide of course a important example for initial beliefs that are absolutely continuous with respect to the Lebesgue measure. Thus, strict monotonicity of the expected mixed strategy adjustment process follows from proposition 3.5. A special property of fictitious play dynamics that is immediately obvious from the defining formula is the fact that weight of new evidence falls as the number of observations increases and that learning converges to the empirical distribution.

4. Equilibria of Bayesian Learning Dynamics and Nash Equilibria

It is clear that, in general, naive Bayesian learning will not converge to a long-run equilibrium belief. Shapley's (1964) example of a two-player game where each player has three strategies shows that, even in extremely simple games, beliefs of the fictitious play type may converge to a limit cycle. There are however important classes of games for which fictitious play converges globally: in all zero-sum games (Robinson (1951)), in all two-player games (Miyasawa(1961)), or in all supermodular games (Brock and Samuelson (1992)). Fudenberg and Kreps (1993) have proved, in addition, that all dynamic equilibria of the fictitious play dynamics⁶ are Nash equilibria.

In this section, the dynamic equilibria of naive Bayesian play will be studied. As the following example shows there is no hope that either the limit behaviour, i.e. the pure strategies actually played, or the limit beliefs (viewed as mixed strategies) form Nash equilibria of the respective game if prior beliefs do not have full support.

Example 4.1: (converging behaviour)

Consider the following game.

		Player 2	
		L	R
Player 1	T	1,1	0,0
	B	0,0	1,1

Clearly, (T,L) and (B,R) are the two pure strategy Nash equilibria of this game. In addition, there is a mixed strategy equilibrium where each player plays with probability 1/2 the first strategy.

For $p, q \in [0,1]$, denote by $s_1(T) = p$, $s_1(B) = 1-p$ and $s_2(L) = q$, $s_2(R) = 1-q$ the mixed strategies of the two players. The mixed strategy sets S_1 and S_2 can be identified with the unit interval and beliefs with probability distributions on these intervals. Let player 1's initial beliefs about q , the mixed strategy played by player 2, be given by the distribution function

⁶ Fudenberg and Kreps (1993) prove the more general result that expected mixed strategy processes which are asymptotically similar to fictitious play will have Nash equilibria as limit points.

$G_1(q) = \min\{5 \cdot q, 1\}$ and player 2's initial beliefs by the distribution function $G_2(p) = \max\{0, 5 \cdot p - 4\}$. It is easy to check that

$$\text{supp } G_1 = [0, 0.2] \quad \text{and} \quad \text{supp } G_2 = [0.8, 1]$$

holds for these prior beliefs. Since these beliefs are absolutely continuous with respect to the Lebesgue measure, it follows from proposition 3.5 that these supports will not change.

The best responses of the two players given these beliefs are obviously B for player 1 and L for player 2 for all rounds of the game. Thus, behaviour does not converge to a Nash equilibrium. Furthermore, expected mixed strategies of player 1 are an increasing sequence that converges to the expected mixed strategy 0.2. Similarly, player 2's expectations are revised downwards with 0.8 as the limit. Thus, beliefs converge, but the expected mixed strategy combination which arises as the limit is not a Nash equilibrium. ■

Example 4.1 demonstrates that, in games without a full support, beliefs and behaviour may converge to limits which are not Nash equilibria. The following proposition shows that a full support and absolute continuity of the initial beliefs with respect to the Lebesgue measure are sufficient conditions for behaviour that converges to a Nash equilibrium.

Proposition 4.1:

Consider a sequence of actual play $(a^1, a^2, \dots)$, $a^t \in E_1 \times E_2$, such that $a^t = (e^k, e^l)$ for all $t \geq T$. If $CO_1^O(B) > 0$ for any open set $B \subset S_j$, $i, j = 1, 2$, $i \neq j$, then (e^k, e^l) must be a Nash equilibrium in pure strategies.

Proof:

Firstly, given the assumptions on Q_1^O , $(\sigma_1^t(k), \sigma_2^t(l))$ converges to $(1, 1)$. To see this, consider player 2's expectations about player 1's mixed strategy choice. By proposition 3.5, $\sigma_1^t(k|e^k)$ is a strictly increasing sequence for all $t \geq T$. Thus, $\sigma_1^t(k)$ converges to some $\sigma_1^*(k) \leq 1$.

Suppose $\sigma_1^*(k) < 1$, then, by proposition 3.1, $\text{var}_1(k) = \int_{S_1} [s_1(k) - \sigma_1^t(k)]^2 Q_2^t(ds_1)$ must converge to zero. Hence, $Q_2^t(\{s_1 \in S_1 \mid s_1(k) = \sigma_1^*(k)\})$ must converge to 1. This implies that $Q_2^t(\{s_1 \in S_1 \mid s_1(k) > \sigma_1^*(k)\})$ converges to zero. By Bayesian updating however

$$\begin{aligned}
Q_2^{t+1}(\{s_1 \in S_1 \mid s_1(k) > \sigma_1^*(k)\} | e^k) \\
&= (\sigma_1^t(k))^{-1} \cdot \int_{\{s_1 \in S_1 \mid s_1(k) > \sigma_1^*(k)\}} s_1(k) Q_2^t(ds_1) \\
&\geq \frac{\sigma_1^*(k)}{\sigma_1^t(k)} \cdot Q_2^t(\{s_1 \in S_1 \mid s_1(k) > \sigma_1^*(k)\}) \\
&> Q_2^t(\{s_1 \in S_1 \mid s_1(k) > \sigma_1^*(k)\}) \geq 0
\end{aligned}$$

where the strict inequality follows because $\sigma_1^t(k)$ is a strictly increasing sequence by proposition 3.5. Note that, by proposition 3.5, $\text{supp } Q_2^0 = S_1$. This guarantees that $Q_2^t(\{s_1 \in S_1 \mid s_1(k) > \sigma_1^*(k)\})$ is strictly positive. Thus, one has a contradiction to the assumption that $Q_2^t(\{s_1 \in S_1 \mid s_1(k) > \sigma_1^*(k)\})$ converges to zero. A similar argument shows that $\sigma_2^t(1)$ converges to one.

The claim of the proposition follows now from the upper-hemicontinuity of the best response correspondences $r_i(\sigma_j)$. ■

Prior beliefs that can be represented by Dirichlet distributions provide an example satisfying the conditions of proposition 4.1. More importantly, even prior distributions that put most of the probability mass on a finite set of mixed strategies satisfy the assumption of the proposition if some weight is given to a continuous distribution with full support. Thus, except for the extreme case where all probability mass is concentrated on a finite subset of S_j , converging pure strategy choices will induce learning that leads to beliefs being concentrated on the pure strategies played in the limit. Since the observed strategy choices are best responses given a player's beliefs, they form a Nash equilibrium. Assuming that players put some weight on a continuous distribution may be justified by a lack of confidence in their probability assessment. The following example illustrates how probability weight is shifted from the discrete part of a distribution to the continuous part.

Example 4.2:

Reconsider example 4.1 assuming that prior beliefs of player 2 can be represented by the following distribution function:

$$G_2^0(p) = \begin{cases} a \cdot p & \text{for } p < b \\ a \cdot p + (1-a) \cdot b & \text{for } p \geq b \end{cases} \quad a, b \in (0, 1)$$

with $\sigma_1^0(T) = a \cdot \frac{1}{2} + (1-a) \cdot b$. Note that this probability distribution is a convex combination of a uniform and a discrete distribution.

Suppose that player 2 observes that player 1 chooses the first strategy T for all periods $t \geq 0$. In this case, the learning process takes the following form. For $t = 1$,

$$G_2^1(p) = [\sigma_1^0(T)]^{-1} \cdot \begin{cases} \frac{a}{2} \cdot p^2 & \text{for } p < b \\ \frac{a}{2} \cdot p^2 + (1-a) \cdot b & \text{for } p \geq b \end{cases}$$

$$\begin{aligned} \text{with } \sigma_1^1(T) &= [\sigma_1^0(T)]^{-1} \cdot [a \cdot \frac{1}{3} + (1-a) \cdot b^2] \\ &= [a \cdot \frac{1}{2} + (1-a) \cdot b]^{-1} \cdot [a \cdot \frac{1}{3} + (1-a) \cdot b^2] . \end{aligned}$$

For $t = 2$,

$$G_2^2(p) = [\sigma_1^1(T) \cdot \sigma_1^0(T)]^{-1} \cdot \begin{cases} \frac{a}{3} \cdot p^3 & \text{for } p < b \\ \frac{a}{3} \cdot p^3 + (1-a) \cdot b^2 & \text{for } p \geq b \end{cases}$$

$$\begin{aligned} \text{with } \sigma_1^2(T) &= [\sigma_1^1(T) \cdot \sigma_1^0(T)]^{-1} \cdot [a \cdot \frac{1}{4} + (1-a) \cdot b^3] \\ &= [a \cdot \frac{1}{3} + (1-a) \cdot b^2]^{-1} \cdot [a \cdot \frac{1}{4} + (1-a) \cdot b^3] . \end{aligned}$$

The following diagram illustrates the shift of probability mass from the discrete to the continuous part of the distribution.

For arbitrary $t \geq 0$, one derives the expected probability of player 1's first strategy T as

$$\sigma_1^t(T) = [a \cdot \frac{1}{t+1} + (1-a) \cdot b^t]^{-1} \cdot [a \cdot \frac{1}{t+2} + (1-a) \cdot b^{t+1}] .$$

Using Hopital's rule, one can show that $\lim_{t \rightarrow 0} \sigma_1^t(T) = 1$ holds. ■

Remark:

The assumption that the continuous part of the prior distribution gives positive weight to any open set appears too strong. It is conjectured that the existence of an open neighbourhood of the Nash equilibrium strategies with positive weight in the continuous part of the prior distribution suffices for the result of proposition 4.1. ■

Proposition 4.1 gives conditions guaranteeing that learning leads to beliefs concentrated on the pure strategies actually played and, hence, to Nash equilibrium strategies. It is possible however⁷ that expected mixed strategies converge while the pure strategies actually played do not converge. This raises the question whether the beliefs that hold in the limit form a Nash equilibrium in mixed strategies. As the following proposition shows, one needs stronger assumptions to guarantee convergence of expected mixed strategies to a Nash equilibrium.

Proposition 4.2:

Suppose that the sequence of expected mixed strategies, (σ_1^t, σ_2^t) , $t = 1, 2, \dots$, converges to (σ_1^*, σ_2^*) . If both players' prior beliefs Q_i^0 are such that $\lim \sigma_i^t(k|e^h) = 0$ if $e^h \neq e^k$ for all $t \geq T$, then (σ_1^*, σ_2^*) is a Nash equilibrium.

Proof:

For $i, j = 1, 2$, $i \neq j$, $\sigma_j^* \in r_j(\sigma_i^*)$ if and only if $\text{supp } \sigma_j^* \subseteq r_j(\sigma_i^*)$.

Suppose there is a pure strategy e^k , $e^k \in \text{supp } \sigma_j^* \setminus r_j(\sigma_i^*)$. Then $e^k \notin r_j(\sigma_i^t)$ for t large enough, since r_i is an upper-hemicontinuous correspondence. Thus, there is a period T such that player j will not play strategy e^k for all $t \geq T$. This implies $\sigma_j^t(k) := \lim \sigma_j^t(k|\cdot) = 0$ and, therefore, $e^k \notin \text{supp } \sigma_j^*$. This contradicts the premise $e^k \in \text{supp } \sigma_j^*$. ■

It is difficult to provide conditions for prior beliefs guaranteeing that the expected probability of a pure strategy that is never observed converges to zero. Example 4.1 shows however that beliefs need not converge to Nash equilibrium beliefs if the support of the prior beliefs is not the set of all mixed strategies. Thus, a full support of prior beliefs appears to be a necessary condition for proposition 4.2 to apply.

⁷ See, e.g., Eichberger, Haller, Milne (1993).

It is important to note that proposition 4.2 gives conditions for the expected beliefs to be mixed strategy Nash equilibria. This does not imply that players actually use such mixed strategies. All that is guaranteed is that these players are indifferent about the pure strategies that they actually play and, by implication, about any mixture of these pure strategies. There is however no guarantee that players use their pure strategies in the relative frequency implied by a mixed strategy. Given the equilibrium beliefs, a player may use the pure strategies with a frequency that is incompatible with the actual mixed strategy as long as the opponent learns from the observed strategies played a belief which creates indifference about the pure strategies that the opponent uses. Thus, pure strategies actually played must be in the support of the respective equilibrium mixed strategies but need not be played with the frequency of the equilibrium mixed strategies. There are of course many prior beliefs that would lead to learning that is conform with empirical frequencies, the most notable example are Dirichlet prior distributions.

Example 4.2 indicates that the expected probability of player 1 choosing the second strategy B converges to zero, if this strategy is never observed. For 2x2 matrix games, the conditions of proposition 4.1 are sufficient for the result of proposition 4.2 since a strategy that is never observed implies that the other strategy is always observed. Hence, the expected probability of the observed strategy must converge to one and the expected probability of the strategy that is not observed will go to zero. This observation generalises the result in Eichberger, Haller and Milne (1993) that, for beta priors in 2x2 matrix games, converging expected mixed strategies are Nash equilibria. For general two-player games, however, the fact that permanent observation of a particular strategy leads to beliefs concentrated on this pure strategy does not imply that not observing a pure strategy leads to beliefs that put expected probability of zero on this pure strategy.

6. Concluding Remarks

Most of the literature on evolutionary learning has focused on the question of whether learning processes converge or not. Fudenberg and Kreps (1993) form a notable exception to this rule. In addition, conditions for convergence of a learning process are usually given in terms of assumptions on the expected mixed strategies directly. This paper departs from the

literature in both aspects. It provides conditions in terms of players' prior beliefs for converging beliefs to be Nash equilibria, either in terms of the pure strategies that are actually played or in terms of the expected mixed strategies.

There remain some questions for further research. The sufficient conditions of proposition 4.1 for limit behaviour to be Nash equilibrium behaviour may be weakened further. Note that it suffices to guarantee that expected mixed strategies are strictly increasing in the observed pure strategies and that each mixed strategy has an open neighbourhood with positive measure. It appears likely that the propositions remain true if each Nash equilibrium strategy has an open neighbourhood with positive measure.

References

- Berninghaus, S.K., Schwalbe, U. (1993). "Evolution, Interaction and Nash Equilibria". *Working Paper*, Universität Mannheim, Mannheim.
- Bomze, I.M. (1990). "Dynamical Aspects of Evolutionary Stability". *Monatshefte für Mathematik* 110, 189-206.
- Bomze, I.M., Eichberger, J. (1992). "Evolutive versus Bayesian Learning". *Technical Report TR-ISI/Stamcom-118*, Institute of Statistics and Computer Science, University of Vienna.
- Brock, W.A., Samuelson, L. (1992). "Convergence of Learning Schemes on Supermodular Games". *Working Paper*, University of Wisconsin.
- Brown, G.W. (1951). "Iterative Solutions of Games by Fictitious Play". In T.C. Koopmans (ed.), *Activity Analysis of Production and Allocation*, New York: Wiley and Sons.
- Canning, D. (1990). "Social Equilibrium". *Working Paper*, Cambridge University.
- Crawford, V.P., Haller, H. (1990). "Learning How to Cooperate: Optimal Play in Repeated Coordination Games". *Econometrica* 58, 571-595.
- Eichberger, J., Haller, H., Milne, F. (1993). "Naive Bayesian Learning in 2x2 Matrix Games". *Journal of Economic Behavior and Organization* 21,
- Eichberger, J. (1992). "Nash Equilibrium and Learning". In Creedy, J., Borland, J., Eichberger, J. (eds.), *Recent Developments in Game Theory*, Edward Elgar, 94-124.
- Friedman, D. (1991). "Evolutionary Games in Economics". *Econometrica* 59, 637-666.
- Fudenberg, D., Kreps, D.M. (1993). "Learning Mixed Equilibria". *Games and Economic Behavior* 5, 320-367.
- Fudenberg, D., Kreps, D.M. (1993). "Learning in Extensive Form Games". *Working Paper*, Graduate School of Business, Stanford University.
- Fudenberg, D., Kreps, D.M. (1992). *Lectures on Learning and Equilibrium in Strategic Form Games*. Core Lecture Series. Core Foundation, Universite Catholique de Louvain, Louvain-La-Neuve.
- Hurkens, S. (1993). "Learning by Forgetful Players". *Working Paper*, CentER, Tilburg University, Tilburg.
- Joosten, R. (1993). "On Equilibria of Evolutionary Dynamics". *Working Paper*, Maastricht Economic Research Institute on Innovation and Technology, University of Limburg, Maastricht.
- Jordan, J.S. (1993). "Three Problems with Learning Mixed-Strategy Nash Equilibria". *Games and Economic Behavior* 5, 320-367.
- Jordan, J.S. (1991). "Bayesian Learning in Normal Form Games". *Games and Economic Behavior* 3, 60-81.

- Kalai, E., Lehrer, E. (1993). "Rational Learning Leads to Nash Equilibrium". *Econometrica* 61, 1019-1045.
- Kreps, D.M. (1990). *Game Theory and Economic Modelling*. Oxford: Clarendon Press.
- Krishna, V. (1992). "Learning in Games with Strategic Complementarities". *Working Paper* 92-073, Harvard Business School, Cambridge, Mass.
- Metrick, A., Polak, B. (1993). "Fictitious Play in 2x2 Games: A Geometric Proof of Convergence". *Working Paper*, Harvard University, Cambridge, Mass.
- Milgrom, P., Roberts, J. (1990). "Rationalizability, Learning, and Equilibrium in Games with Strategic Complementarities". *Econometrica* 58, 1255-1277.
- Miyasawa, K. (1961). "On the Convergence of the Learning Process in a 2x2 Non-Zero Sum Two-Person Game. *Working Paper*, Princeton University.
- Moderer, D., Sela, A. (1993). "Fictitious Play and No-Cycling Conditions". *Working Paper*, Faculty of Industrial Engineering and Management, The Technion, Haifa.
- Moderer, D., Shapley, L.S. (1992). "Potential Games". *Working Paper*, Faculty of Industrial Engineering and Management, The Technion, Haifa.
- Nachbar, J.H. (1992). "Evolution in the Finitely Repeated Prisoner's Dilemma". *Journal of Economic Behavior and Organization* 19, 307-326.
- Ritzberger, K., Weibull, J.W. (1993). "Evolutionary Selection in Normal Form Games". *Working Paper* No. 383, Industrial Institute for Economic and Social Research, Stockholm.
- Robinson, J. (1951). "An Iterative method of Solving a Game". *Annals of Mathematics* 54, 296-301.
- Rosenmüller, J. (1971). "Über Periodizitätseigenschaften spieltheoretischer Lernprozesse". *Zeitschrift für Wahrscheinlichkeitstheorie und verwandte Gebiete* 17, 259-308.
- Shapley, L. (1964). "Some Topics in Two-Person Games". In M. Desher, L. Shapley and A.W. Tucker (eds.), *Advances in Game Theory*, Princeton, NJ: Princeton University Press.
- Young, H.P. (1993a). "The Evolution of Conventions". *Econometrica* 61, 57-84.
- Young, H.P. (1993b). "An Evolutionary Model of Bargaining". *Journal of Economic Theory* 59, 145-168.

CES Working Paper Series

- 01 Richard A. Musgrave, Social Contract, Taxation and the Standing of Deadweight Loss, May 1991
- 02 David E. Wildasin, Income Redistribution and Migration, June 1991
- 03 Henning Bohn, On Testing the Sustainability of Government Deficits in a Stochastic Environment, June 1991
- 04 Mark Armstrong, Ray Rees and John Vickers, Optimal Regulatory Lag under Price Cap Regulation, June 1991
- 05 Dominique Demougin and Aloysius Siow, Careers in Ongoing Hierarchies, June 1991
- 06 Peter Birch Sørensen, Human Capital Investment, Government and Endogenous Growth, July 1991
- 07 Syed Ahsan, Tax Policy in a Model of Leisure, Savings, and Asset Behaviour, August 1991
- 08 Hans-Werner Sinn, Privatization in East Germany, August 1991
- 09 Dominique Demougin and Gerhard Illing, Regulation of Environmental Quality under Asymmetric Information, November 1991
- 10 Jürg Niehans, Relinking German Economics to the Main Stream: Heinrich von Stackelberg, December 1991
- 11 Charles H. Berry, David F. Bradford and James R. Hines, Jr., Arm's Length Pricing: Some Economic Perspectives, December 1991
- 12 Marc Nerlove, Assaf Razin, Efraim Sadka and Robert K. von Weizsäcker, Comprehensive Income Taxation, Investments in Human and Physical Capital, and Productivity, January 1992
- 13 Tapan Biswas, Efficiency and Consistency in Group Decisions, March 1992
- 14 Kai A. Konrad and Kjell Erik Lommerud, Relative Standing Comparisons, Risk Taking and Safety Regulations, June 1992
- 15 Michael Burda and Michael Funke, Trade Unions, Wages and Structural Adjustment in the New German States, June 1992
- 16 Dominique Demougin and Hans-Werner Sinn, Privatization, Risk-Taking and the Communist Firm, June 1992
- 17 John Piggott and John Whalley, Economic Impacts of Carbon Reduction Schemes: Some General Equilibrium Estimates from a Simple Global Model, June 1992
- 18 Yaffa Machnes and Adi Schnytzer, Why hasn't the Collective Farm Disappeared?, August 1992
- 19 Harris Schlesinger, Changes in Background Risk and Risk Taking Behavior, August 1992

- 20 Roger H. Gordon, Do Publicly Traded Corporations Act in the Public Interest?, August 1992
- 21 Roger H. Gordon, Privatization: Notes on the Macroeconomic Consequences, August 1992
- 22 Neil A. Doherty and Harris Schlesinger, Insurance Markets with Noisy Loss Distributions, August 1992
- 23 Roger H. Gordon, Fiscal Policy during the Transition in Eastern Europe, September 1992
- 24 Giancarlo Gandolfo and Pier Carlo Padoan, The Dynamics of Capital Liberalization: A Macroeconometric Analysis, September 1992
- 25 Roger H. Gordon and Joosung Jun, Taxes and the Form of Ownership of Foreign Corporate Equity, October 1992
- 26 Gaute Torsvik and Trond E. Olsen, Irreversible Investments, Uncertainty, and the Ramsey Policy, October 1992
- 27 Robert S. Chirinko, Business Fixed Investment Spending: A Critical Survey of Modeling Strategies, Empirical Results, and Policy Implications, November 1992
- 28 Kai A. Konrad and Kjell Erik Lommerud, Non-Cooperative Families, November 1992
- 29 Michael Funke and Dirk Willenbockel, Die Auswirkungen des "Standortsicherungsgesetzes" auf die Kapitalakkumulation – Wirtschaftstheoretische Anmerkungen zu einer wirtschaftspolitischen Diskussion, January 1993
- 30 Michelle White, Corporate Bankruptcy as a Filtering Device, February 1993
- 31 Thomas Mayer, In Defence of Serious Economics: A Review of Terence Hutchison; Changing Aims in Economics, April 1993
- 32 Thomas Mayer, How Much do Micro-Foundations Matter?, April 1993
- 33 Christian Thimann and Marcel Thum, Investing in the East: Waiting and Learning, April 1993
- 34 Jonas Agell and Kjell Erik Lommerud, Egalitarianism and Growth, April 1993
- 35 Peter Kuhn, The Economics of Relative Rewards: Pattern Bargaining, May 1993
- 36 Thomas Mayer, Indexed Bonds and Heterogeneous Agents, May 1993
- 37 Trond E. Olsen and Gaute Torsvik, Intertemporal Common Agency and Organizational Design: How much Decentralization?, May 1993
- 38 Henry Tulkens and Philippe vanden Eeckaut, Non-Parametric Efficiency, Progress and Regress Measures for Panel Data: Methodological Aspects, May 1993
- 39 Hans-Werner Sinn, How Much Europe? – Subsidiarity, Centralization and Fiscal Competition, July 1993
- 40 Harald Uhlig, Transition and Financial Collapse, July 1993
- 41 Jim Malley and Thomas Moutos, Unemployment and Consumption: The Case of Motor-Vehicles, July 1993

- 42 John McMillan, Autonomy and Incentives in Chinese State Enterprises, August 1993
- 43 Murray C. Kemp and Henry Y. Wan, Jr., Lumpsum Compensation in a Context of Incomplete Markets, August 1993
- 44 Robert A. Hart and Thomas Moutos, Quasi-Permanent Employment and the Comparative Theory of Coalitional and Neoclassical Firms, September 1993
- 45 Mark Gradstein and Moshe Justman, Education, Inequality, and Growth: A Public Choice Perspective, September 1993
- 46 John McMillan, Why Does Japan Resist Foreign Market-Opening Pressure?, September 1993
- 47 Peter J. Hammond, History as a Widespread Externality in Some Arrow-Debreu Market Games, October 1993
- 48 Michelle J. White, The Costs of Corporate Bankruptcy: A U.S.-European Comparison, October 1993
- 49 Gerlinde Sinn and Hans-Werner Sinn, Participation, Capitalization and Privatization, Report on Bolivia's Current Political Privatization Debate, October 1993
- 50 Peter J. Hammond, Financial Distortions to the Incentives of Managers, Owners and Workers, November 1993
- 51 Hans-Werner Sinn, Eine neue Tarifpolitik (A New Union Policy), November 1993
- 52 Michael Funke, Stephen Hall and Martin Sola, Rational Bubbles During Poland's Hyperinflation: Implications and Empirical Evidence, December 1993
- 53 Jürgen Eichberger and Ian R. Harper, The General Equilibrium Foundations of Modern Finance Theory: An Exposition, December 1993
- 54 Jürgen Eichberger, Bayesian Learning in Repeated Normal Form Games, December 1993